

MSC2010: 93C15, 49N30, 49N35

© *P. S. Ivanov, Yu. V. Petrov***RESEARCH OF THE DIFFERENCE SCHRÖDINGER OPERATOR FOR SOME PHYSICAL MODELS**

We consider the discrete Schrödinger operator on a perturbed by the decreasing potential graph with vertices at the two intersecting lines. We investigate spectral properties of this operator and the scattering problem for the above operator in the case of a small potential and also in the case when both a potential and velocity of a quantum particle are small. Asymptotic formulas for the probabilities of the particle propagation in all possible directions are obtained. In addition, we investigate the spectral properties of the discrete Schrödinger operator for the infinite band with zero boundary conditions. The scattering pattern is described. Simple formulas for transmission and reflection coefficients near boundary points of the subbands (this corresponds to small velocities of quantum particles) for small potentials are obtained.

Keywords: differential Schrödinger operator, eigenvalue, resonance, Lippmann–Schwinger equation, scattering, propagation and reflection probabilities

DOI: 10.35634/2226-3594-YYYY-VV-NN

Introduction

We consider a differential inclusion

$$\dot{x} \in F(f^t \sigma, x), \quad \sigma \in \Sigma, \quad x \in \mathbb{R}^n, \quad (0.1)$$

where $F(\sigma, x)$ is a compact set in \mathbb{R}^n and Σ is a compact metric space. System (0.1) generates the topological flow ... as it was noted by N. N. Krasovskii [1, Chapter 3]. The works [2–4, 6–9] are ...

§ 1. Notations and definitions

Let \mathbb{R}^n be an n -dimensional Euclidean space and

Consider the system

$$\dot{x}(t) = \int_{-r}^0 dA(t, s)x(t + s), \quad t \in \mathbb{R} = (-\infty, \infty). \quad (1.1)$$

We identify system (1.1) with

$$\dot{y}(t) = \int_{-r}^0 dB(t, s)y(t + s), \quad t \in \mathbb{R} = (-\infty, \infty). \quad (1.2)$$

R e m a r k 1.1. We note that system $\dot{y}(t) = \int_{-r}^0 y(t + s) dB(t, s)$ is

§ 2. Invariants sets

D e f i n i t o n 2.1 (see [5], [7, p. 110]). We say that \mathfrak{X}_0 is *regular* if ...

L e m m a 2.1 (see [10, p. 123]). Let \mathfrak{X}_0 be the

P r o o f. We show that see section 1

□




Fig 1. Motion generated by solution of equation (1.1)

§ 3. λ -Reducibility theorem

Theorem 3.1 (about triangulation). If \mathbb{S}^p is completely regular then:

- a) there exists a system B and Lyapunov transformation $x = L(t)y$ such that ...;
- b) in the set $\{B\}$ of all systems kinematically similar to the system (A, \mathbb{S}^p) there exists a system $\dot{y} = C(t)y$ such that ...

§ 4. Proof of theorem 3.1

1. We fix some basis in the space
2. Take a continuous function
3. We construct the function $t \rightarrow \tilde{B}(t)$ so that

Then we have

$$|\hat{Y}(t, 0)| \leq \alpha |V(t)Z(t)| = \dots = \alpha |Z(t)| \leq \alpha \sqrt{r} \|U_t\|_{\mathbb{R}^p \rightarrow \mathfrak{S}}, \quad (4.1)$$

... Thus, the formula is true. Q.E.D. □

Theorem 4.1. Let X be a Banach space. Then ...

Lemma 4.1. Suppose that.....

Proposition 4.1. Let

Corollary 4.1. For any continuous map ... there exist a

Hypothesis 4.1. Theorem 4.1 is true.

Definition 4.1. A group is called *abelian* if

Remark 4.1. Note that

Example 4.1. Consider the set of all points ... such that

Assumption 4.1. Suppose the function $\xi_i(t)$ is periodic.

Condition 4.1. The function $f(x)$ is nonnegative




Figure 2. Selection of vectors e_i^k

REFERENCES

1. Kalman R., Falb P., Arbib M. *Topics in mathematical system theory*, New York: McGraw-Hill, 1969.
2. Stokes A. A Floquet theory for functional differential equations, *Proc. Natl. Acad. Sci. USA*, 1962, vol. 48, no. 8, pp. 1330–1334. <https://doi.org/10.1073/pnas.48.8.1330>
3. Büttiker M., Imry Y., Landauer R., Pinhas S. Generalizet many-channel conductance formula with application to small rings, *Physical Review B*, 1985, vol. 31, issue 10, pp. 6207–6215. <https://doi.org/10.1103/PhysRevB.31.6207>
4. Miroshnichenko A.E., Kivshar Y.S. Engineering Fano resonances in discrete arrays, *Physical Review E*, 2005, vol. 72, issue 5, 056611, 7 p. <https://doi.org/10.1103/PhysRevE.72.056611>
5. Bell M.G. Compact ccc non-separable spaces of small weight, *Topology Proceedings*, 1980, vol. 5, pp. 11–25. <http://topo.math.auburn.edu/tp/reprints/v05/tp05002s.pdf>
6. Ptitsyna N., Shipman S.P. A lattice model for resonance in open periodic waveguides, 2010, arXiv: 1101.0170v1 [math-ph]. <https://arxiv.org/abs/1101.0170v1>
7. Brockett R. On the control of Liouville equations, *Differential Equation and Topology: Abstracts of International Conference Dedicated to the Centennial Anniversary of Lev Semenovich Pontryagin*, Lomonosov Moscow State University, Moscow, 2008, p. 7.
8. Danilov L.I. On almost periodic selections of multivalued maps, *Vestnik Udmurtskogo Universiteta. Matematika. Mekhanika. Komp'yuternye Nauki*, 2008, issue 2, pp. 34–41 (in Russian). <https://doi.org/10.20537/vm080213>
9. Filippova T.F. *Problems of viability for differential inclusions*, Dr. Sci. (Phys.–Math.) Dissertation, Yekaterinburg, 1992, 266 p. (In Russian).
10. Popova S.N. *Control over asymptotic invariants of linear systems*, Abstract of Dr. Sci. (Phys.–Math.) Dissertation, Yekaterinburg, 2004, 34 p. (In Russian).

Received 01.02.2020

Ivanov Petr Sidorovich, Doctor of Physics and Mathematics, Professor, Department of Differential Equations, Udmurt State University, ul. Universitetskaya, 1, Izhevsk, 426034, Russia.

E-mail: psi@usu.mat.com

Petrov Yurii Vladimirovich, Candidate of Physics and Mathematics, Senior Researcher, Department of Dynamical Systems, Institute of Mathematics and Mechanics, Ural Branch of the Russian Academy of Sciences, ul. S. Kovalevskoi, 16, Yekaterinburg, 620219, Russia.

E-mail: petrov@list.ru

Citation: P. S. Ivanov, Yu. V. Petrov. Research of the difference Schrödinger operator for some physical models, *Izvestiya Instituta Matematiki i Informatiki Udmurtskogo Gosudarstvennogo Universiteta*, 2020, vol. 55, pp. 1–5.

П. С. Иванов, Ю. В. Петров

Исследование разностного уравнения Шрёдингера для некоторых физических моделей

Ключевые слова: разностное уравнение Шрёдингера, резонанс, собственное значение, уравнение Липпмана–Швингера, рассеяние, вероятности прохождения и отражения

УДК: 517.958, 530.145.6

DOI: 10.35634/2226-3594-YYYY-VV-NN

Рассматривается дискретный оператор Шрёдингера на графе с вершинами на двух пересекающихся прямых, возмущенный убывающим потенциалом. Исследуются спектральные свойства этого оператора. Исследуется задача рассеяния для данного оператора в случае малого потенциала, а также в случае, когда малы как потенциал, так и скорость квантовой частицы. Получены асимптотические формулы для вероятностей распространения частицы во всех возможных направлениях. Кроме того, исследуются спектральные свойства дискретного оператора Шрёдингера для бесконечной полосы с нулевыми граничными условиями. Описана картина рассеяния. Получены простые формулы для вероятностей прохождения и отражения вблизи граничных точек подзон (это отвечает малым скоростям квантовой частицы) в случае малых потенциалов.

Финансирование. Исследования первого автора выполнены при финансовой поддержке Министерства науки и высшего образования РФ в рамках базовой части госзадания в сфере науки, номер проекта 1.1234.2017/8.9. Исследования второго автора выполнены при финансовой поддержке РФФИ в рамках научного проекта 18-01-01234.

СПИСОК ЛИТЕРАТУРЫ

1. Kalman R., Falb P., Arbib M. Topics in mathematical system theory. New York: McGraw-Hill, 1969.
2. Stokes A. A Floquet theory for functional-differential equations // Proc. Natl. Acad. Sci. USA. 1962. Vol. 48. No. 8. P. 1330–1334. <https://doi.org/10.1073/pnas.48.8.1330>
3. Büttiker M., Imry Y., Landauer R., Pinhas S. Generalizet many-channel conductance formula with application to small rings // Physical Review B. 1985. Vol. 31. Issue 10. P. 6207–6215. <https://doi.org/10.1103/PhysRevB.31.6207>
4. Miroshnichenko A.E., Kivshar Y.S. Engineering Fano resonances in discrete arrays // Physical Review E. 2005. Vol. 72. Issue 5. 056611. 7 p. <https://doi.org/10.1103/PhysRevE.72.056611>
5. Bell M.G. Compact ccc non-separable spaces of small weight // Topology Proceedings. 1980. Vol. 5. P. 11–25. <http://topo.math.auburn.edu/tp/reprints/v05/tp05002s.pdf>
6. Ptitsyna N., Shipman S.P. A lattice model for resonance in open periodic waveguides // arXiv: 1101.0170v1 [math-ph]. 2010. <https://arxiv.org/abs/1101.0170v1>
7. Brockett R. On the control of Liouville equations // Differential Equation and Topology: Abstracts of International Conference Dedicated to the Centennial Anniversary of Lev Semenovich Pontryagin. Lomonosov Moscow State University. Moscow, 2008. P. 7.
8. Данилов Л.И. О почти периодических сечениях многозначных отображений // Вестник Удмуртского университета. Математика. Механика. Компьютерные науки. 2008. Вып. 2. С. 34–41. <https://doi.org/10.20537/vm080213>
9. Филиппова Т.Ф. Задачи о выживаемости для дифференциальных включений: дис. . . . д-ра физ.-матем. наук / ИММ УрО РАН. Екатеринбург, 1992. 266 с.
10. Попова С.Н. Управление асимптотическими инвариантами линейных систем: автореф. дис. . . . д-ра физ.-матем. наук. Екатеринбург, 2004. 34 с.

Поступила в редакцию 01.02.2020

Иванов Петр Сидорович, д. ф.-м. н., профессор, кафедра дифференциальных уравнений, Удмуртский государственный университет, 426034, Россия, г. Ижевск, ул. Университетская, 1.
E-mail: psi@usu.mat.com

Петров Юрий Владимирович, к. ф.-м. н., старший научный сотрудник, отдел динамических систем, Институт математики и механики УрО РАН, 620219, Россия, г. Екатеринбург, ул. С. Ковалевской, 16.

E-mail: petrov@list.ru

Цитирование: П. С. Иванов, Ю. В. Петров. Исследование разностного уравнения Шрёдингера для некоторых физических моделей // Известия Института математики и информатики Удмуртского государственного университета. 2020. Т. 55. С. 1–5.